



## CABINET, 640 SERIES - RACK ONLY, 12U

SKU: 05370



<b>Usable Height</b>	12U
<b>MAX LOAD</b>	150 kg
<b>Link with</b>	19" Accessories
<b>Material</b>	Fe
<b>Treatments</b>	RAL 9005
<b>Net weight</b>	29,63 kg
<b>Master Pack</b>	0,060 m <sup>3</sup> , 31,83 kg
<b>Mounting Height</b>	532 mm
<b>EXTERNAL HEIGHT DIMENSION (WITHOUT WHEELS OR FEET)</b>	578 mm
<b>Internal Depth</b>	535 mm
<b>EXTERNAL DEPTH</b>	640 mm

---

Categories: [19" Rack](#), [640 SERIES](#)

Usable height: 12U

19" rack cabinet self-assembly kit, 640 mm depth, made of steel plate, RAL9005 finish. This new series of Euromet racks enables you to simplify and optimise logistics by using only two sides to obtain different sizes racks. As a matter of fact, if you want to obtain racks exceeding 18 units it is sufficient to put one side on another. If you combine them you can obtain not only 12 and 18 base model racks, but also 24, 30 and 36 units racks. The sides are united by means of the conjunction plate that guides the connection. After the two sides are united you can also use the 6 security screws that definitively fix the two lateral sides. In order to facilitate the rack installation an instruction manual is included in the



packaging. The rack is composed of one base: (L545/P:640mm) with 4 attachments with M10 threads; one roof (L545/P:640mm); two sides with 19" punched holes and vent slots; four adjustable levelling feet; set of mounting hardware including 2 conjunction plates; instruction manual. To facilitate transport and to reduce costs of shipment, this item is supplied ready for assembly in separate cartons. Standard assembly time: 15 minutes.

## [QUOTATION REQUEST](#)

x

### REQUEST A QUOTATION

Name \*

Surname \*

Company \*

Email \*

Message

I have read the information on the Privacy Policy and authorize the processing of personal data (\*)

[Privacy Policy](#)

Send

x



## GALLERY

