KALIBRO ALUMINIUM

SKU: 17800



Material	Steel
Dimension	86,0×76,0x46,6 cm
Weight	27 kg
Pitch	+/3°
Roll	+/3°
Yaw	+/5°

Categories: One Rigging

Robus, resistent, and engineered for video-projection. Thanks to its micro-adustment capability on all three axes, utilizing keys and ratchet mechanisms, it provides optimal focus as well as centering of image.
Certified for stacking of up to 3 devices.
APPROVED FOR MAXIMUM OF 3 STACKING CAGES.

**Compatible with D13xx-HS, D16xx-HS, D20xx-HS,4K7-HS, 4K10-HS video projectors series*

QUOTATION REQUEST

×

REQUEST A QUOTATION

Name *

Surname *

Company *

Email *

Message

☐I have read the information on the Privacy Policy and authorize the processing of personal data (*)
Privacy Policy

Send

×

GALLERY



IMQ

TEST CERTIFICATE

CERTIFICATO DI PROVA

REGISTRATION No. 1295

PRODUCT: System of rigging cages for mounting of video projectors

MODEL(S): L1000, P21K , L25K

TRADE MARK: EUROMET

APPLICANT: EUROMET SRL
Z.I. BRODOLINI 40B - 60025 LORETO (AN)

MANUFACTURER: EUROMET SRL
Z.I. BRODOLINI 40B – 60025 LORETO (AN)

TEST RESULTS / *RISULTATO DELLE PROVE*

A sample of above product was found to be in compliance with the Technical specification(s) / standard(s) listed below. / *Un campione del prodotto specificato è stato provato ed è risultato conforme alle norme / specifiche tecniche qui sotto indicate.*

TEST DETAILS / *DETTAGLI DELLE PROVE*

TEST REPORT:	DATE:	TECHNICAL SPECIFICATIONS / STANDARDS:
AE18-0020837-01	2018/02/22	IEC 60065:2014 – Clause 19.7 IEC 60950-1:2005+AMD1:2009+AMD2:2013 – Clause 4.2.10 IEC 62368-1:2014 – Clause 8.7

PRIMA EMISSIONE: 2018/04/17

EMISSIONE CORRENTE: 2018/04/17

IMQ