



KALIBRO, STACKING AND RIGGING FRAME CAGE PT 21K AND SIMILAR

SKU: 17461



Material	Steel and Aluminum
Dimension	66x73x39 cm
Weight	20 kg
Pitch	+/-3°
Roll	+/-3°
Yaw	+/-5°

Categories: [Kalibro](#)

Microadjustable Rigging cage for videoprojector mounting Panasonic DZ21K

Robust, resistant, and engineered for video-projection. Thanks to its micro-adjustment capability on all three axes, utilizing keys and ratchet mechanisms, it provides optimal focus as well as centering of image.

**Compatible with these video projectors series:*

Panasonic PT-DZ21K

Panasonic PT-RZ21K

Panasonic PT-RZ12K

Panasonic PT-RQ22K

Panasonic PT-RQ13K

Panasonic PT-RS20K

Panasonic PT-RS11K

Panasonic PT-DS20K



Panasonic PT-DZ16K

Panasonic PT-DW17K

Stacking

APPROVED FOR A MAXIMUM OF 3 STACKING CAGES

Maximum Ground Stack: 3 Frames

Maximum Suspended Stack: 2 Frames

Adjustment

3 points of adjustment

2 control the Roll and Pitch adjustments

1 handle operates the Yaw adjustments

Features

Extentio removeble bar

Clump to Truss: K-TILT

Clump to Chain: EYE BOLD

Swivel heads

Compatibility

With 3rd party stacking frame cage



[QUOTATION REQUEST](#)

x

REQUEST A QUOTATION

Name *

Surname *



Company *

Email *

Message

I have read the information on the Privacy Policy and authorize the processing of personal data (*)




[Privacy Policy](#)

Send

x



GALLERY



TEST CERTIFICATE
CERTIFICATO DI PROVA

REGISTRATION No. 1295
 NUMBER OF REVOLUTIONS: 1295

PRODUCT: System of rigging cages for mounting of video projection
 PROTOTYPE: L1000, P23K, L25K
 MODEL: L1000, P23K, L25K
 WEIGHTS:

TRADE MARK: EUROMET
 MARK COMMERCIAL: EUROMET SRL
 APPLICANT: Z.A. BRODOLINI 408 - 60025 LORETO (AN)
 REQUIREMENT: EUROMET SRL
 MANUFACTURER: Z.A. BRODOLINI 408 - 60025 LORETO (AN)
 CONTRACT:

TEST RESULTS / RISULTATO DELLE PROVE
 A sample of above product was found to be in compliance with the Technical specification(s) / standard(s) listed below. / Un campione del prodotto specificato è stato provato ed è risultato conforme alle norme / specifiche tecniche qui sotto indicate.

TEST DETAILS / DETTAGLI DELLE PROVE

TEST NUMBER / RAPPORTO DI PROVA:	DATE / DATA:	TECHNICAL SPECIFICATIONS / STANDARDS / SPECIFICHE TECNICHE / NORME DI RIFERIMENTO:
AE18-020817-01	2018/02/22	IEC 60065:2014 - Clause 29.7 IEC 60950-1:2005/AMD1:2009/AMC2:2013 - Clause 4.2.10 IEC 62368-1:2014 - Clause 8.7

PRIMA EMISSIONE: 2018/02/27
 EMENDAZIONE COMMENTI: 2018/02/27

IMQ

The Test Certificate is the result of testing a sample of the product submitted, in accordance with the provisions of the specified Technical Specifications. It is issued on the basis of the test results obtained and does not constitute a guarantee of the product's performance and does not cover the use of the product in other than the conditions specified in the certificate. The Test Certificate is not a substitute for the product's technical specifications. The Test Certificate is not a substitute for the product's technical specifications. The Test Certificate is not a substitute for the product's technical specifications. The Test Certificate is not a substitute for the product's technical specifications.

IMQ S.p.A. via Salaria 1000 | 00198 Roma (RM) | Tel. +39 06 574911 | www.imq.it

