



## M TILT - 1 CLAMP, MILLIMETER CALIBRATION SYSTEM ON 3 AXES AND ROTATION FOR MATRIX AND QUICK COUPLING TO TRUSS

SKU: 23400



<b>installation</b>	Truss-mounted cage
<b>Mode</b>	Landscape
<b>Material</b>	Steel, Brass, Aluminium
<b>Treatments</b>	Powder coated
<b>Color</b>	Silver, Black
<b>Pitch</b>	+/- 10°
<b>Roll</b>	+/- 10°
<b>Mount Rotates</b>	360°
<b>clamp fixing to truss</b>	Ø 48 – 51 mm
<b>SWL (SAFE WORKLOAD)</b>	250 Kg (each Clamp)
<b>clamp fixing screw</b>	M10
<b>Dimension</b>	180 x 180 _ 360 [mm]
<b>packaging</b>	200 x 200 _ h380 [mm]

---

Categories: [Matrix](#)

M TILT is a support system enabling cage-to-truss fastening with an aliscafi (clamp) and micrometric adjustment on the 3 Cartesian axes and 360° rotation to be added to MATRIX cages.

All three adjusting options are very precise (and can be checked with threaded pins) and the system is equipped with safety locks to fasten the desired position.

Thanks to its complete rotation and the wide tilt angles, it enables pre-emptive orientation when used together with the cage - also for complex installations with unpractical fastening positions or in case of special tilted projections. After fastening the truss system is then possible to calibrate the wall-projector more precisely.



The M TILT fastening system is extremely simple, as thanks to the patented no-loose screw system it does not require any tool, but it can be safely fastened manually.

**Compatibility:** all EUROMET products with standard connection

**Certification IMQ:** EN 62368-1:2014+A11:2017 clause 8.7

[REQUEST A QUOTE](#)

×

## REQUEST A QUOTE

Nome \*

Cognome \*

Azienda \*

Email \*

Messaggio \*

Ho letto l'informativa sulla Privacy Policy e autorizzo il trattamento dei dati personali (\*)

[Leggi la nostra Privacy Policy](#)

Invia

×



## GALLERY

