NEKST - ALPHA - STACKING E RENTAL CAGES

SKU: 25400



Material	Iron – Aluminum
pipe section	30×20 mm
Color	Black
Treatments	Embossed powder coated
attachment thread	M8
electrical insulation projector	YES
Dimension	595 x 690_h436 [mm]
packaging	605 x 700 x_h446 (mm)

Categories: Advanced Kalibration Systems, Matrix, Nekst

Innovative cage for professional projectors

**Compatibility:*

DIGITAL PROJECTION: E-VISION LASER 4-15K
DIGITAL PROJECTION: E-VISION LASER 6,5-9K
VIVITEK: DU7098Z - DU7295Z
VIVITEK: DU8090Z - DU8395Z - DU 6298Z
NEC: PX803UL - PX1004UL
HITACHI - LP - WU9100B
OPTOMA: ZU1050-860
OPTOMA: ZK1050
OPTOMA zu725t
BENQ - LU9715_9215_9915
BENQ - PU9730

SONY - FHZ 120L

Features:
- The cage allows the use of clamps directly in its structure, facilitating installation and speed of application
- The calibration system is given by the KITE system
- The system allows micrometric and calibrated adjustment in all 3 axes and calibrated rotation
- The Kite can also be removed using innovative captive screws
- The system can also be used without a cage to allow quicker installation or with the use of special lenses such as ultrashort lenses
- The kite can also be moved inside the cage allowing the adjustment of the zoom or center of gravity
- The cage also has a system of adjustable feet which allows for easy projection even when standing
- The "stacking" hooking system also allows you to position the projectors in stacking with each other
- The stacking system can be both in landscape but also in portrait or floor using the stacking systems and feet
- The shape of the cage also allows for ease of maneuvering and maintenance of the projector itself
- The cage can also be used in stacking with another kite, thus allowing a faster and more economical installation

RICHIEDI UN'OFFERTA
×

RICHIEDI UN'OFFERTA

Nome *

Cognome *

Azienda *

Email *

Messaggio *

☐Ho letto l’informativa sulla Privacy Policy e autorizzo il trattamento dei dati personali (*)
Leggi la nostra Privacy Policy

Invia

×

GALLERY











