




## KALIBRO OPTIONAL, 2 PROFILES+ CLAMP Ø30

SKU: 20911



<b>Material</b>	Iron – Aluminum
<b>Profile section</b>	40 mm
<b>continuous adjustment</b>	YES
<b>clamp fixing to truss</b>	Ø 48 – 51 mm
<b>clamp fixing screw</b>	M12
<b>Dimension</b>	550 x 200 x 110 mm
<b>Packaging Dimensions</b>	570 x 220 x 130 mm

Categories: [Kalibro](#)

This item enables to fasten the cage to the truss for Portrait (fasteners on the cage side) or Floor projections (fastener on the back side).

This system can be used together with all KALIBRO cages with a Ø30mm section.

It consists of a pair of profiles installed perpendicularly to the projection axis.

Each one of them:

- have 2 Ø30 clamps fastened on a side and they can slide along the profile while adapting to the cross-distance of the upper tubes.  
Before fastening the clamps to the tube, they can slide backwards and forwards, thus changing the distance of the 2 profiles.
- On the other side there is a small Ø50 clamp (compatible with standard truss versions) which can slide onto the profile and turn based on the installation requirements.



It is also possible to adjust the distance for the 50 ones (for truss fastening) or to transfer their base depending on the cage gravity centre.

**P.S.** The cage is not included.

**IMQ certification:** EN 62368-1: 2014 + A11: 2017 clause 8.7

[QUOTATION REQUEST](#)

×

## REQUEST A QUOTATION

Name \*

Surname \*

Company \*

Email \*

Message

I have read the information on the Privacy Policy and authorize the processing of personal data (\*)

[Privacy Policy](#)

Send

×



## GALLERY

